Author Index

Ashoor, S. H.
—— and Osman, M. A.
Detection and quantitation of pork in unheated pork–beef blends by high-performance liquid chromatography 329
—— and Stiles, P. G.
Determination of soy protein, whey protein, and casein in unheated meats by high-performance liquid chromatography 321
Asukabe, H., see Oka, H. 285
Aue, W. A., see McMahon, A. 221
Baars, A. J., see Zoun, P. E. F. 133
Bagnoud, M. A., see Veuthey, J. L. 51
Bailey, C. A., see Chen, B. H. 297
Baker, R.
High-performance liquid chromatography–ultraviolet method for the simultaneous determination of potential synthetic and hydrolytic impurities in urapidil fumarate 447
Bassell, G., see Kargacin, M. E. 454
Bassett, P. M., see Swedberg, S. A. 317
Beale, S. C.
——, Wiesler, D. and Novotný, M.
Characterization of the phenolic fraction obtained from fossil-fuel materials by microcolumn liquid chromatography and its ancillary techniques 391
Beker, D.
—— and Lovrec, V.
Determination of butylated hydroxytoluene in poultry premix by high-performance liquid chromatography 459
Benincasa, M.
——, Cartoni, G. P., Coccioli, F., Rizzo, R. and Zevenhuizen, L. P. T. M.
High-performance liquid chromatography of cyclic $\beta(1\rightarrow2)$-D-glucans (cyclosophoraoses) produced by *Rhizobium meliloti* and *Rhizobium trifolii* 263
Billedeau, S. M.
—— and Thompson, Jr., H. C.
Evaluation of porous polymer traps for analysis of four volatile N-nitrosamines using thermal desorption injection coupled with a gas chromatograph–thermal energy analyzer 367
Borchers, R., see Noy, T. 343
Brenner, L., see Ibrahim, E. A. 237
Brinkman, U. A. Th., see Nielen, M. W. F. 69
——, see Slais, K. 57
Bugatti, C.
——, Colombo, M. L. and Tomè, F.
High-performance liquid chromatographic separation of quaternary alkaloids of *Chelidonium majus* L. roots 312
Bui, L. V., see Mok, V. 335
Cartoni, G. P., see Benincasa, M. 263
Castro, M. D., Luque de, see Valcárcel, M. 3
Caude, M., see Jadaud, Ph. 39
Chan, L. T. F., see Mok, V. 335
Chen, B. H.
—— and Bailey, C. A.
Separation of carotenoids in turf Bermuda grasses by high-performance liquid chromatography 297
Coccioli, F., see Benincasa, M. 263
Colombo, M. L., see Bugatti, C. 312
Cramers, C., see Noy, T. 343
Damme, F. Van, see Verzele, M. 25
De Nijs, R., see Nielen, M. W. F. 69
Fabian, P., see Noy, T. 343
Fink, A. L., see Swedberg, S. A. 317
Frei, R. W., see Nielen, M. W. F. 69
——, see Slais, K. 57
Fukushi, K.
—— and Hiiro, K.
Determination of sulphide in sea-water by capillary isotachophoresis 433
García-Domínguez, J. A.
——, García-Muñoz, J., Menéndez, V., Molera, M. J. and Santiuste, J. M.
Method for the classification and selection of stationary phases in gas chromatography 209
García-Muñoz, J., see García-Domínguez, J. A. 209
García-Raso, A., see Llobera, A. 305
Goff, M. Th. Le, see Villanueva, V. R. 97, 107, 115
Haerdi, W., see Veuthey, J. L. 51
Hannah, R. E., see Ibrahim, E. A. 237
Harada, K.-I., see Oka, H. 285
Hiiro, K., see Fukushi, K. 433
Honeyman, T. W., see Kargacin, M. E. 454
Hyun, M. H.
—— and Pirkle, W. H.
Preparation and evaluation of a chiral stationary phase bearing both π-acidic and -basic sites 357

Ibrahim, E. A.
——, Lippincott, R. L., Brenner, L., Suffet, I. H. and Hannah, R. E.
The effect of cyclohexene, a preservative in dichloromethane on the liquid–liquid extraction and analysis of chlorinated drinking water 237
Ikai, Y., see Oka, H. 285
Ishii, D., see Takeuchi, T. 419
Jadaud, Ph.
——, Caude, M. and Rosset, R.
Retention of polycyclic aromatic hydrocarbons on an improved tetrachlorophthalimidopropyl silica 39
Janssen, F., see Noy, T. 343
Joelsson, M., see Johansson, G. 195
Johansson, G.
—— and Joelsson, M.
Affinity partitioning of enzymes using Dextran-bound Procion Yellow HE-3G. Influence of dye–ligand density 195
Kalinitchev, A. I.
—— and Larionov, O. G.
Calculation principles of multi-stage preparative chromatography on the basis of the theory of non-linear multi-component chromatography 169
Kargacin, M. E.
——, Bassell, G., Ryan, P. J. and Honeyman, T. W.
Separation and analysis of fluorescent derivatives of myo-inositol and myo-inositol 2-phosphate by high-performance liquid chromatography 454
Kawamura, N., see Oka, H. 285
Kemmeren-Van Dijk, M. B. H., see Spierenburg, Th. J. 137
Klesper, E., see Leyendecker, D. 155
Kondoh, Y.
—— and Takano, S.
Analysis of acylglycerols by high-performance liquid chromatography with post-column derivatization. IV. Simultaneous analysis of mono-, di- and triacylglycerols 427
Kronberg, H., see Marx, A. M. 407
Laarhoven, W. H., see Prinsen, W. J. C. 377
Larionov, O. G., see Kalinitchev, A. I. 169
Le Goff, M. Th., see Villanueva, V. R. 97, 107, 115
Leyendecker, D., see Leyendecker, D. 155
——, Schmitz, F. P., Leyendecker, D. and Klesper, E.
Three-dimensional network plots in supercritical fluid chromatography with *n*-pentane–1,4-dioxane 155
Lippincott, R. L., see Ibrahim, E. A. 237
Llobera, A.
—— and García-Raso, A.
Gas chromatographic behaviour of several *p*-quinones 305
Lovrec, V., see Beker, D. 459
Luque De Castro, M. D., see Valcárcel, M. 3
McGee, W. W., see Quinn, M. E. 255
McMahon, A.
—— and Aue, W. A.
Electron-capture detector with positive response (increase in current) 221
Mardon, M., see Villanueva, V. R. 97, 107, 115
Marx, A. M.
——, Kronberg, H. and Neuhoff, V.
Determination of the specific radioactivity of amino acids by a combination of thin-layer chromatography and quantitative autoradiography 407
Mefford, I. N.
Lauroyl sarcosine: a weak cation-exchange reagent for on-column modification of reversed-phase material 441
Menéndez, V., see García-Domínguez, J. A. 209
Mok, V.
——, Bui, L. V. and Chan, L. T. F.
Capillary gas chromatographic–mass spectrometric study of the effect of solvents on metoprolol and other aryloxypropanolamines 335
Molera, M. J., see García-Domínguez, J. A. 209
Moncelon, F., see Villanueva, V. R. 97, 107, 115
Motorin, Yu. A.
——, Wolfson, A. D., Tsygankov, A. Yu. and Orlovsky, A. F.
Rapid isolation of *Escherichia coli* β-galactosidase by fast protein liquid chromatography 462
Mussche, Ph., see Nielen, M. W. F. 69
Neuhoff, V., see Marx, A. M. 407
Nielen, M. W. F., see Slais, K. 57
——, Valk, A. J., Frei, R. W., Brinkman, U. A. Th., Mussche, Ph., De Nijs, R., Ooms, B. and Smink, W.
Fully automated sample handling system for liquid chromatography based on pre-column technology and automated cartridge exchange 69
Nijs, R. de, see Nielen, M. W. F. 69
Novotný, M., see Beale, S. C. 391
Noy, T.
——, Fabian, P., Borchers, R., Janssen, F., Cramers, C. and Rijks, J.
Trace analysis of halogenated hydrocarbons in gaseous samples by on-line enrichment in an adsorption trap, on-column cold-trapping and capillary gas chromatography. I. Method and instrumentation 343

Oka, H.
——, Ikai, Y., Kawamura, N., Uno, K., Yamada, M., Harada, K.-I., Uchiyama, M., Asukabe, H. and Suzuki, M.
Improvement of chemical analysis of antibiotics. X. Determination of eight tetracyclines using thin-layer high-performance liquid chromatography 285
Ooms, B., see Nielen, M. W. F. 69
Orlovsky, A. F., see Motorin, Yu. A. 462
Osman, M. A., see Ashoor, S. H. 329
Pask-Hughes, R. A.
Characterisation and purification of some glycoproteins by high-performance liquid chromatography 273
Pesek, J. J., see Swedberg, S. A. 317
Pirkle, W. H., see Hyun, M. H. 357
Pollak, V. A.
Linearity considerations in quantitative thin-layer chromatography 143
Prinsen, W. J. C.
—— and Laarhoven, W. H.
Determination of the "enantiomeric excess" of hexahelicene and its methyl-substituted derivatives by high-performance liquid chromatography 377
Quinn, M. E.
—— and McGee, W. W.
Gel permeation chromatographic and high-performance liquid chromatographic analyses of elemental sulfur in transducer elastomers 255
Ramsteiner, K. A.
On-line liquid chromatography–gas chromatography in residue analysis 123
Rijks, J., see Noy, T. 343
Rizzo, R., see Benincasa, M. 263
Rosset, R., see Jadaud, Ph. 39
Ryan, P. J., see Kargacin, M. E. 454
Santiuste, J. M., see García-Domínguez, J. A. 209
Saxton, W. L.
Emergence temperature indices and relative retention times of pesticides and industrial chemicals determined by linear programmed temperature gas chromatography 175
Schmitz, F. P., see Leyendecker, D. 155
Slais, K.
——, Nielen, M. W. F., Brinkman, U. A. Th. and Frei, R. W.
Screening of amphetamines by gradient microbore liquid chromatography and pre-column technology 57
Smink, W., see Nielen, M. W. F. 69
Spierenburg, Th. J.
——, Kemmeren-Van Dijk, M. B. H. and Zoun, P. E. J.
High-performance liquid chromatographic analysis of aldicarb in the stomach contents of birds of prey 137
——, see Zoun, P. E. F. 133
Stiles, P. G., see Ashoor, S. A. 321
Strating, J., see Verhagen, L. C. 85
Suffet, I. H., see Ibrahim, E. A. 237
Suzuki, M., see Oka, H. 285
Swedberg, S. A.
——, Bassett, P. M., Pesek, J. J. and Fink, A. L.
Regeneration of protein-contaminated C_4 columns by dimethyl sulfoxide–acetonitrile treatment 317
Takano, S., see Kondoh, Y. 427
Takeuchi, T.
—— and Ishii, D.
Indirect photometric detection of alcohols in micro high-performance liquid chromatography 419
Tomè, F., see Bugatti, C. 312
Thompson, Jr., H. C., see Billedeau, S. M. 367
Tjaden, U. R., see Verhagen, L. C. 85
Tsygankov, A. Yu., see Motorin, Yu. A. 462
Uchiyama, M., see Oka, H. 285
Uno, K., see Oka, H. 285
Valcárcel, M.
—— and Luque De Castro, M. D.
Continuous separation techniques in flow injection analysis. A review 3
Valk, A. J., see Nielen, M. W. F. 69
Van Damme, F., see Verzele, M. 25
Verhagen, L. C.
——, Strating, J. and Tjaden, U. R.
Analysis of *E*-2-nonenal in beer at the ultra trace level by high-performance liquid chromatography using precolumn derivatization and column switching techniques 85
Verzele, M.
—— and Van Damme, F.
Polarity and selectivity of polyol- and polyphenol-derivatized silica gels for normal-phase high-performance liquid chromatography 25
Veuthey, J. L.
——, Bagnoud, M. A. and Haerdi, W.
Enrichment of complexing analytes on a copper-loaded silica surface and on-line coupling with high-performance liquid chromatography, using L-tryptamine and L-tyrosine as model compounds 51

Villanueva, V. R.
——, Le Goff, M. Th., Mardon, M. and Moncelon, F.
High-performance liquid chromatographic method for sugar analysis of crude deproteinized extracts of needles of air-polluted healthy and damaged *Picea* trees 115
——, Mardon, M., Le Goff, M. Th. and Moncelon, F.
Development of a multi-component analysis system. Application and preliminary results of a comparative study of cellular metabolism in healthy and damaged *Picea* trees from polluted areas 97
——, Mardon, M., Le Goff, M. Th. and Moncelon, F.
Improved high-performance liquid chromatographic analysis of methylated amino acids and related compounds and its application to the analysis of samples of polluted healthy and damaged *Picea* needles without extract purification 107
Wiesler, D., see Beale, S. C. 391
Wolfson, A. D., see Motorin, Yu. A. 462
Yamada, M., see Oka, H. 285
Zevenhuizen, L. P. T. M., see Benincasa, M. 263
Zoun, P. E. J., see Spierenburg, Th. J. 137
——, Spierenburg, Th. J. and Baars, A. J.
Gas chromatographic determination of endosulfan in fish and water samples 133